PCM THERMAL ENERGY STORAGE



natural energy-saving unique



Welcome to PCM:

For more than a decade we have been involved in the development of Phase Change Materials (PCMs). With unrivalled experience in designing and advising on PCM installations and applications, we continue to push the boundaries in PCM usage for the benefit of our ever-growing customer base.

In addition to our technical expertise, we offer (under the PlusICE branding) what we believe to be the most comprehensive range of PCM solutions currently available commercially (-100°C (-148°F) to +885°C (1,625°F)).

Thermal Energy Storage (TES):

Thermal Energy Storage TES is the temporary storage of high or low temperature energy for later use, bridging the gap between requirement and energy use. The storage cycle might be daily, weekly or seasonal depending on the system design requirements, and whilst the output will always be thermal, the input may be thermal or electrical.



From initial concept, research and development to production and distribution, our office and manufacturing facility in the UK and our Licensed outlets around the world offer bespoke products to meet unique customer requirements.

And of course, good ideas are not the exclusive right of PCM! Many of the non-standard applications are initiated by our customers, whether end-user or developer. Our technical team is happy to take ideas from conception through to completion including full commercialisation, with or without our production under a Licensee option.

REDUCED RUNNING COST-load shifting provides reliable operation and lower annual electricity/energy running costsREDUCED MACHINERY-shifting some of the peak load may enable designers to reduce the main machine sizeINCREASED CAPACITY-as a retrofit application, the additional TES load may increase the system output without any additional
machineryGREEN SOLUTION-reduced machine size means reduced energy consumption, giving lower direct and indirect CO2 emissionsFLEXIBLE SYSTEM-the overall machinery capacity and TES capacity can be exactly matched to system loadsSTAND-BY CAPACITY-incase the main machinery fails, the stored energy can be utilised to handle the system loads, thereby

Phase Change Materials (PCMs):

Phase Change Materials, commonly referred to as PCMs, are products that store and release thermal energy during the processes of melting and freezing. Phase Change Materials release large amounts of energy upon freezing in the form of latent heat but absorb equal amounts of energy from the immediate environment upon melting. This enables thermal energy storage; heat or coolness being stored from one process or period of time and used at a later point in time or transferred to a different location. PCMs can also be used to provide thermal barriers or insulation, particularly useful for industry sectors such as temperature-controlled transport.



Interestingly, the simplest, cheapest and most effective Phase Change Material is water/ice. Unfortunately, its freezing point of 0°C (+32°F) precludes it from the majority of energy storage applications. However, a number of alterative Phase Change Materials have been identified and developed that freeze and melt like water/ice, but at temperatures from the cryogenic range to several hundred degrees centigrade.

The PlusICE range is arranged into four categories;

Eutectics, solutions of salt in water with a phase change temperature below 0°C (+32°F)

Salt Hydrates, specific salts able to incorporate water of crystallisation during the freezing process, normally above 0°C (+32°F)

Organic Materials, which tend to be polymers composed primarily of carbon and hydrogen. These mostly change phase above 0°C (+32°F) and can be as simple as coconut oil, waxes or fatty acids.

Solid-Solid Materials, They have no visible change in the appearance of the PCM (other than a slight expansion/ contraction) during phase change and therefore overcome all problems associated with handling liquids, i.e. containment, potential leakage, etc.





Applications - Buildings:

Air conditioning:

The picture right shows the Malaysian ZEO Project. This is the Zero Energy Office, designed to capture energy during night time for release during daytime hours.

Our PCM coolth storage systems have been successfully applied for a variety of chilled water applications around the World all the way from US Army Corp. head quarters in Seattle, Saudi High speed train

stations to Australian Parliament for energy saving and load shifting applications.

Free Cooling:

The Headquarters of Melbourne City Council, known as the CH2 building is the only 6* energy efficiency building in the world.

Cooling towers are run during hours of darkness, freezing the PCM energy storage which is then released as cool during the day.

Passive Cooling:

Ceiling tiles, as pictured right, at the University of Westminster, London naturally freeze overnight and release cool during the day as an energy-free cooling.

Fabric TES:

Granular PCM is absorbed into building materials, such as plasterboard and concrete to aid the balance between temperature extremes in much the same way that old properties with high ceilings and thick walls achieve a comfortable temperature range.



Applications - Temperature Controlled Packaging & Transport:

Road Transport:

A huge percentage of our food is transported by road with refrigerated vehicles now commonplace. PCM technology offers both mechanical-refrigeration-free and back-up cooling options.

Cold Store Back-up:

A power failure is potentially extremely costly in food storage. In countries with less reliable power supplies, PCM technology has been employed in warehouses to effectively

soak the heat out of the storage area to ensure that the products remain unspoilt.

Shipping:

Phase Change Material is now utilised in road, air and sea freight as a cooling provides electricity-free medium that cooling solutions.

Marine Back-up Cooling

On some vessels, as soon as the engine stops, the refrigeration facility does likewise. These beams pictured right allow the temperature to remain under control.

Heat Recovery:

A factory near Turin has been designed to utilise CHP (Combined Heat & Power) using PCM energy storage for both hot and cold sides of the system with superior economics.



The village used to house the athletes

at the Melbourne Commonwealth Games had been built for normal residential occupation. However, during the Games, the village was full to capacity and the resultant demand on the energy sapping services such as showers meant that the capacity of the hot water tanks had to be increased sevenfold with the introduction of PCM.

Tri-Gen Applications:

During recent upgrading, the designers for the National Theatre in London applied a tri-gen system whereby the varying daily electricity, heating and cooling loads are balanced by means of utilising a PCM energy storage system. Hence, handling not only daily but also seasonal operational load conditions.



Solar House:

A purpose-built property in USA provides Comfort cooling and heating without the need for any extenal energy input.

Solar Air Conditioning:

The winning bid for the FIFA 2022 World Cup by Qatar is based on a zero carbon cooling design using solar energy to drive the air conditioning energy in PCM tanks. This occurs while the stadium is not in use, and the



stored cool energy can then be used to provide the air conditioning during Word Cup matches.

Eutectic Plates:

Imagine a picnic cooler box, well these plates work in exactly the same way but on a larger scale and for a wide range of cold and hot temperature applications.

Electric-free Refrigeration & Food

Display Cooling:

or heat



retention - utilised on food trolleys, salad cabinets and serve-ove counters that are seen on

public transport and the London Underground.

Packaging - Pharmaceutical and Medical:



Pharmaceuticals, medical supplies and blood products are temperature critical. PlusICE solutions are used by military organisations around the world for the packaging and transportation of medicine, blood and tissue.







Applications - Passive Cooling:

Telecom Shelters:

It is imperative to keep electronics under 45°C (+1 13°F) safety limit in order to keep the system functioning. PCM based passive cooling system freezes over night and later this stored energy soaks up both the internal and external heat loads during day-time keep the shelter's inside and temperatures under control.







Performing the role of a thermal shock absorber, the PCM prevents electronics exceeding their

critical temperature. PCM is applied to ATM's. as passive cooling in hot climates.

the temperature down. Cooler batteries result in longer life and better performance.



Applications - Solar Heating & Heat Recovery:



PCM heat shields are successfully applied for data logger protection against heat such jet engine testing, furnace and hot environments.



Although

solar collectors are not capable of producing high enough energy to charge the hot water during winter

> capable of charging a +27° (81°F) PCM underfloor energy storage circuit whereby the surplus sun energy can be stored and later used over-night. Effectively, the whole building heating loads can be satisfied by simply using solar circuit.

Solar House **Project USA:**

Built for the Solar Decathlon competition, the Solar House provides comfort cooling by simply storing cold night energy and heating by storing daytime solar energy, negating the need for any energy input.

Shelter Passive Cooling:

The PCM freezes overnight to absorb heat during hotter daylight hours as well as internal heat generation in applications such as remote pump-station control rooms, to provide an electric-free solution.

Electronic Back-up Cooling:

Many I.T. centres have their own power supply backed up by generators or UPS for the computers. Unfortunately, as soon as the power goes off, the temperature rises. The PCM acts like a thermal sponge, soaking the heat from area and offers an electric-free back-up cooling solution.

Enclosures / Control Boxes:

By simply charging the PCM containers utilising the night cooler ambient, the day internal and solar gains can be handled without the need for a mechanical cooling and the electronic components can be kept below their upper safety limits





and operate safely anywhere in the World. Signals boxes in the UK rail network rely on PCM thermal stabilisation.

Industrial Applications:

PlusICE solutions enable designers around the world to apply the PCM technology, stabilising heat loads and matching heat load time balance for an economical and reliable operation. Loads in dairies, breweries and food

factories can be simply balanced by PCM TES systems to suit the operating temperatures of the system to cut any waste energy.

Domestic Hot Water:

Phase Change Materials added to standard domestic immersion tank increase the hot water storage capacity many times over.

Commonwealth Games Village Australia:

Utilising Solar TES. During the period of the Games, the requirements for additional hot water in order to cover the excessive occupancy level were increased dramatically.

Heating Solar TES:

The time lag between energy availability and consumption between the midday sun and hot water heating requirements is bridged by PCM TES which offers economic and efficient installation.





CYLINDERICAL TANKS

Underfloor Heating:











Product & Application Development;

Aero & Space Applications:

We are extremely proud to have been involved in providing our expertise to a number of aero & space projects. PCM technology has been utilised as heat blocks to keep the electronics under control. PCM is also used within the capsules used for collecting samples and the PCM ensure these samples remain at the same temperature until opened for examination and research.

Automotive Passive Cooling:



In some parts of the world experiencing hotter climates without the luxury of air conditioning in motor cars, PCM Passive Cooling has been adopted to keep the driver cool. Using a +32°C (+90°F) PCM that freezes overnight, the driver's comfort is ensured when the PCM melts.We have also worked on hydrogen car fuel storage, electric cars heating and cooling energy

storage modules as well as air conditioning back-up / top up storage.

Military Backpack Battery Cooling:

The battery backpack used by the armed forces enjoys longer life and better performance when kept cool. The PCM technology increases battery life at a critical time.

Food & Drink Cooling . Heating:

A project undertaken for a major global player resulted in a +4°C (+39°F) PCM ensuring that a can of drink remained at this temperature for four hours.

Passive Furniture / Data Safe Cooling:

PCMs have been introduced into fabrics used in furniture production and even bed-sheets to achieve optimum comfort. Data safety boxes may stand the fire but the heat generated by the fire renders the data useless and by using PCM to keep the content of the safe below upper temperature limit for 4~6 hours provides enough



time for the fire fighters to rescue the safety box and save the data files inside the safe.



Human Comfort & Body Cooling:

This technology has finally made it into 'ice jackets', used by firefighters and operatives in

uncomfortable working environments. another application, PCM based cooling cushions have been incorporated into prosthetic breast implants to



contain excess heat generated by the chest wall. PCM's are also used in cushions for wheelchair users to protect and

overcome hotspots.

Formula-1 Applications:

Following the Malaysian Grand Prix we had two weeks to design and produce a product geared to improving driver comfort throughout the race. The problem had arisen due to extreme high temperatures during the race causing the rehydration bottle to become so hot that it was unusable. Prior to the next Grand Prix, the car was equipped with water bottles encased in PCM ensuring that the driver did not become dehydrated. PCM's are also applied to stabilise the fuel tank temperatures as part of the fuel management.



Since 1996 our design team has been working on many different products and applications, from the International Space Station to the submarine cooling applications.

Our PlusICE range of products including FlatICE, BallICE, TubeICE, **Eutectic Plates and Pouches enables** us to develop and apply both organic and hydrated salt based PCMs for a variety of applications around the world.

We have many licencees using our PlusICE product range, either as raw material or manufactured product. Some of the applications are initiated by our organisation, but the majority of non-standard applications come from the minds of the end-user or developer.

Our technical team prides itself on taking customer ideas from concept to completion.





Unit 32, Mere View Industrial Estate, Yaxley, Cambridgeshire, PE7 3HS, United Kingdom. Telephone: +44-(0) 1733 245511 Facsmile: +44-(0) 1733 243344 Email: info@pcmproducts.net www.pcmproducts.net